

AMENDMENTS TO THE CLAIMS

1. (Previously presented) A water-based paint composition, consisting essentially of:

- (a) an opacifying agent;
- (b) a viscosity enhancing agent;
- (c) an anionic surfactant comprising a salt derived from morpholine and a long-chain carboxylic acid;
- (d) a polymeric binding agent; and
- (e) a debonding agent active on metal surfaces, wherein the debonding agent is present in an amount from about 21 to about 50% by weight based on the total weight of the composition, and wherein the debonding agent comprises a vegetable oil.

2. (Canceled)

3. (Original) The composition of Claim 1, wherein the opacifying agent comprises titanium dioxide.

4. (Previously presented) The composition of Claim 1, wherein the viscosity enhancing agent is at least one of a soluble nonionic polysaccharide or a suspended particle-type viscosity enhancing agent.

5. (Previously presented) The composition of Claim 4, wherein the soluble nonionic polysaccharide is at least one of hydroxyethylcellulose or carboxymethylcellulose.

6. (Original) The composition of Claim 4, wherein the suspended particle-type viscosity enhancing agent comprises fumed silica.

7-8. (Canceled)

9. (Previously presented) The composition of Claim 1, wherein the long-chain carboxylic acid is at least one of stearic acid, palmitic acid, or myristic acid.

10. (Original) The composition of Claim 1, wherein the polymeric binding agent comprises a latex having a glass transition temperature greater than about 25°C.
11. (Original) The composition of Claim 10, wherein the latex comprises a copolymer of butylacrylate and methyl methacrylate.
12. (Original) The composition of Claim 11, wherein the copolymer has a glass transition temperature of about 32°C.
13. (Original) The composition of Claim 11, wherein the copolymer has a pH from about 8 to about 9.
14. (Canceled)
15. (Previously presented) The composition of Claim 1, wherein the vegetable oil is at least one of soybean oil, corn oil, sunflower oil, castor oil, rapeseed oil, linseed oil, sunflower seed oil, or safflower oil.
16. (Original) The composition of Claim 1, wherein the composition exhibits no sediment formation for about at least two months when stored at about 20°C.
17. (Original) The composition of Claim 1, wherein the composition exhibits no phase separation for about at least two months when stored at about 20°C.
18. (Original) The composition of Claim 1, wherein the composition is spreadable at rate of from about 50 to about 300 g/m².
19. (Original) The composition of Claim 1, wherein the opacifying agent is present in the composition in an amount from about 0.5 to about 35 percent by weight based on the total weight of the composition.
20. (Original) The composition of Claim 1, wherein the viscosity enhancing agent is present in the composition in an amount from about 0.5 to about 10 percent by weight based on the total weight of the composition.

21. (Original) The composition of Claim 1, wherein the surfactant is present in the composition in an amount from about 0.5 to about 5 percent by weight based on the total weight of the composition.

22. (Original) The composition of Claim 1, wherein the polymeric binding agent is present in the composition in an amount from about 3 to about 30 percent by weight based on the total weight of the composition.

23. (Canceled)

24. (Previously presented) A water-based paint composition, consisting essentially of:

- (a) an opacifying agent comprising titanium dioxide;
- (b) a viscosity enhancing agent comprising hydroxyethylcellulose;
- (c) a surfactant comprising a salt derived from morpholine and a long-chain carboxylic acid;
- (d) a polymeric binding agent comprising acrylic latex; and
- (e) a debonding agent active on metal surfaces, wherein the debonding agent is present in an amount from about 21 to about 50% by weight based on the total weight of the composition, and wherein the debonding agent comprises soybean oil.

25. (Canceled)

26. (Original) The composition of Claim 24, wherein the composition exhibits no sediment formation for about at least two months when stored at about 20°C.

27. (Original) The composition of Claim 24, wherein the composition exhibits no phase separation for about at least two months when stored at about 20°C.

28. (Original) The composition of Claim 24, wherein the composition is spreadable at rate of from about 50 to about 300 g/m².

29-30. (Canceled)

31. (Not entered)

32. (Canceled)

33. (Previously presented) A water-based paint composition, consisting essentially of:

- (a) an opacifying agent comprising titanium dioxide;
- (b) a viscosity enhancing agent comprising hydroxyethylcellulose;
- (c) a surfactant comprising a salt derived from morpholine and a long-chain carboxylic acid;
- (d) a polymeric binding agent comprising acrylic latex; and
- (e) soybean oil, wherein the soybean oil is present in about 17% by weight based on the total weight of the composition.

34-42. (Canceled)

43. (New) A water-based paint composition, consisting essentially of:

- (a) an opacifying agent;
- (b) a viscosity enhancing agent;
- (c) an anionic surfactant comprising a salt derived from morpholine and a long-chain carboxylic acid;
- (d) a polymeric binding agent;
- (e) a debonding agent active on metal surfaces, wherein the debonding agent is present in an amount from about 21 to about 50% by weight based on the total weight of the composition, and wherein the debonding agent comprises a vegetable oil; and
- (f) at least one of a preservative, an optical brightener, a plasticizer, a dispersing aid, a coalescing aid, or a defoaming agent.

44. (New) A water-based paint composition, consisting essentially of:
- (a) an opacifying agent comprising titanium dioxide;
 - (b) a viscosity enhancing agent comprising hydroxyethylcellulose;
 - (c) a surfactant comprising a salt derived from morpholine and a long-chain carboxylic acid;
 - (d) a polymeric binding agent comprising acrylic latex;
 - (e) a debonding agent active on metal surfaces, wherein the debonding agent is present in an amount from about 21 to about 50% by weight based on the total weight of the composition , and wherein the debonding agent comprises soybean oil; and
 - (f) at least one of a preservative, a dispersing aid, a defoaming agent, or a coalescing agent.